EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	100	(@rlad<"20031031" or @ad< "20031031") and (switch port) adj module near7 (id identif$4 identification) and payload	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/09 16:34
S2	648	brocade.as.	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S3	20	brocade.as. and frame near3 trac$3	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S4	329	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and (@rlad<"20031031" or @ad< "20031031") and trac$3 near3 (frame packet)	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S5	19	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and (@rlad<"20031031" or @ad< "20031031") and trac$3 near3 (frame packet) and trac$3 near3 (frame packet) with (ber bir speed rate)	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S6	123	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and (@rlad<"20031031" or @ad< "20031031") and (add$3 plac$3) near3 (ber bir speed rate period) with (frame packet)	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S7	288	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and (@rlad<"20031031" or @ad< "20031031") and (path link connection) near3 (trac $3)	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S8	121	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and (@rlad<"20031031" or @ad< "20031031") and (path link connection) near3 (trac $3) and source same destination same (packet header frame)	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S9	1373	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and (@rlad<"20031031" or @ad< "20031031") and rate with (period time near (interval length))	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S10	9	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and (@rlad<"20031031" or @ad< "20031031") and rate with (period time near (interval length)) with (embed$4 add$3 modif$4) near3 (packet frame message trac$3 explor$3)	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34

S11	10	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and @rlad<"20031031" or @ad<"20031031") and rate with (period time near (interval length)) with cost	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S12	165	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and @rlad<"20031031" or @ad<"20031031") and (speed rate) with (period time near (interval length)) and cost with (rate speed)	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S13	39	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and @rlad<"20031031" or @ad<"20031031") and (speed rate) with (period time near (interval length)) and cost with (rate speed) with (header packet frame message trac$3 explor$3 information)	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S14	10	@rlad<"20031031" or @ad<"20031031") and (speed rate) with (period time near (interval length)) and cost with (rate speed) with (header packet frame message trac$3 explor$3 information) near3 (add$3 modif$4 embed$4 append $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/09 16:34
S15	50	("4621362" | "4706080" | "4706081" | "4718005" | "4727592" | "4733391" | "4811337" | "4901312" | "4933938" | "4972409" | "5016244" | "5018133" | "5018137" | "5027350" | "5038340" | "5060228" | "5150360" | "5214646" | "5239537" | "5280480" | "5293635" | "5315592" | "5321695" | "5323394" | "5327424" | "5392399" | "5398242" | "5400333" | "5421024" | "5432907" | "5563875" | "Re33426").PN. OR ("5844902").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2011/08/09 16:34
S16	37	("4993015" | "5502712" | "5825751" | "5920705" | "5926463").PN. OR ("6538997").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2011/08/09 16:34
S17	53	("5774660" | "5778174" | "5781550" | "5915087" | "5941988" | "5950195" | "5951694" | "6006264" | "6098172" | "6128642" | "6128657" | "6137777" | "6185619" | "6247054" | "6249801" | "6263368" | "6327622" | "6330602").PN. OR ("6775692").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2011/08/09 16:34
S18	28	("5675576" | "6069872").PN. OR ("6359863").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2011/08/09 16:34
S19	68	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and @rlad<"20031031" or @ad<"20031031") and (speed rate) with (period time near (interval length)) and (rate speed) with (field header) with (modif$3 modification chang$3 updat$3 embed$4)	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S20	15	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and @rlad<"20031031" or @ad<"20031031") and (els extend$3 adj link$ adj service $)	US-PGPUB; USPAT	OR	OFF	2011/08/09 16:34
S21	1	"370".clas. and (@rlad<"20031031" or @ad<"20031031") and (els extend$3 adj link$ adj service$) and fffffd	US-PGPUB; USPAT	OR	OFF	2011/08/09 16:34

S22	47	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and (@rlad<"20031031" or @ad<"20031031") and ("same" equal equivalent) near3 cost near3 (path link connection line)	US-PGPUB; USPAT	OR	OFF	2011/08/09 16:34
S23	58	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and (@rlad<"20031031" or @ad<"20031031") and (switch bridge) with edge with core	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S24	7	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and (@rlad<"20031031" or @ad<"20031031") and (multi$level$2 multi$tier$2 multiple$tier$2 multiple$level$2 multi$3 adj (tier$2 level$2)) near3 (switch bridge)	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S25	30	(@rlad<"20031031" or @ad<"20031031") and (multi-tier$2 multi$tier$2 multiple $tier$2 multi$3 adj tier$2) near3 (switch bridge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/09 16:34
S26	58	"370".clas. and (@rlad<"20031031" or @ad<"20031031") and (multi$level$2 multi$tier$2 multiple$tier$2 multiple$level$2 multi$3 adj (tier$2 level$2)) near3 (switch bridge)	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S27	108	(@rlad<"20031031" or @ad<"20031031") and (multi-tier$2 multi$tier$2 multiple $tier$2 multi$3 adj tier$2) with (switch bridge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/09 16:34
S28	34	(@rlad<"20031031" or @ad< "20031031") and multi adj level near7 switch and (trace tracing)	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S29	3	(multi-tier$2 multi$tier$2 multiple$tier$2 multi$3 adj tier$2) near3 (switch bridge) and (trace$1 tracing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/09 16:34
S30	3041	(multi near5 bridge)	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S31	573	S30 same (header control)	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S32	21	(multi near5 tier) near5 (bridge switch)	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S33	152822	switch$4 near3 unit)	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34

S34	1825326	(switch bridge)	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S35	4368345	control header	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S36	113635	S33 same S34	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S37	60532	S36 same S35	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S38	16893	bus adj bridge	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S39	50	(US-20050047324-$).did. or (US-5721588-$ or US-5760835-$ or US-4578551-$ or US-5719628-$ or US-5887110-$ or US-5953488-$ or US-4491947-$ or US-5206860-$ or US-5502509-$ or US-5978025-$ or US-6044079-$ or US-6236843-$ or US-4384777-$ or US-4954894-$ or US-5003389-$ or US-5495291-$ or US-5588000-$ or US-5751887-$ or US-5852753-$ or US-5909564-$ or US-5952797-$ or US-6031842-$ or US-6094224-$ or US-6144323-$ or US-6161203-$ or US-4281911-$).did. or (US-4296360-$ or US-4450557-$ or US-4466095-$ or US-4498098-$ or US-4530010-$ or US-4536707-$ or US-4550340-$ or US-4553158-$ or US-4564936-$ or US-4599611-$ or US-4617614-$ or US-4800678-$ or US-4829328-$ or US-4837538-$ or US-4841523-$ or US-4870333-$ or US-4876682-$ or US-4876683-$ or US-4905226-$ or US-4929075-$ or US-4931877-$ or US-4947054-$ or US-4974011-$).did.	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S40	50	(US-3585950-$ or US-3951400-$ or US-4058055-$ or US-4134558-$ or US-4151805-$ or US-4409914-$ or US-4441367-$ or US-4470361-$ or US-4547171-$ or US-4575066-$ or US-4856842-$ or US-4878444-$ or US-5285663-$ or US-5311509-$ or US-5561666-$ or US-5590122-$ or US-5610928-$ or US-5712942-$ or US-5793764-$ or US-5894481-$ or US-6009092-$ or US-6091729-$ or US-6102322-$ or US-6137797-$ or US-6185203-$ or US-6192049-$).did. or (US-6205145-$ or US-6226292-$ or US-6304552-$ or US-6324181-$ or US-6356550-$ or US-6430182-$ or US-6480488-$ or US-6532212-$ or US-6549519-$ or US-6553000-$ or US-6560227-$ or US-6563832-$ or US-6606302-$ or US-6606322-$ or US-6608819-$ or US-6608836-$ or US-6674754-$ or US-6678269-$ or US-6711357-$ or US-6731638-$ or US-6731646-$ or US-6735198-$ or US-6735199-$ or US-6741594-$).did.	USPAT	OR	ON	2011/08/09 16:34
S41	0	S39 and S40	USPAT	OR	ON	2011/08/09 16:34
S42	238	switch adj chip and fan$4	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S43	1	"20020041594".pn.	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34

S44	65	multi$1plan$4 near3 (switch bridge)	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S45	206322	control with plan$4	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S46	1041898	((port near3 (ID identif$7 number)) or port)	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S47	259	(@rlad<"20031031" or @ad<"20031031") and (trace tracing tracer) near7 (packet frame message) and ((fibre fiber) adj channel fc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/09 16:34
S48	3	"7111105".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/09 16:34
S49	36	(@rlad<"20031031" or @ad<"20031031") and (trace tracing tracer) near7 (packet frame message) and ((fibre fiber) adj channel fc) and (add$3 additional modif$4 modification) near20 payload	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/09 16:34
S50	131	(@rlad<"20031031" or @ad<"20031031") and (trace tracing tracer) near7 (packet frame message) and (add$3 additional modif$4 modification) near20 payload same (id identif$4 identification number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/09 16:34
S51	6	("2005/0053006").URPN.	USPAT	OR	ON	2011/08/09 16:34
S52	80	(@rlad<"20031031" or @ad<"20031031") and (trace tracing tracer) near7 (packet frame message) and (add$3 additional modif$4 modification) near20 payload same (id identif$4 identification number) and traver$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/09 16:34

S53	1	(@rlad<"20031031" or @ad<"20031031") and (trace tracing tracer) near7 (packet frame message) and (add$3 additional modif$4 modification) near20 payload same (id identif$4 identification number) same traver$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/09 16:34
S54	23	(@rlad<"20031031" or @ad<"20031031") and (statistic with switch) and (tracer trace tracing explorer explore exploring) near3 (frame packet message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/09 16:34
S55	335	(@rlad<"20031031" or @ad<"20031031") and (switch) with port adj module	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/09 16:34
S56	73	(@rlad<"20031031" or @ad<"20031031") and (switch) with port adj module and payload	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/09 16:34
S57	2	(@rlad<"20031031" or @ad<"20031031") and (trace tracing tracer) near7 (packet frame message) and (add$3 additional modif$4 modification) near20 payload same (id identif$4 identification number) and (tlv type near3 length near3 value type$2length$2value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/09 16:34
S58	229	(@rlad<"20031031" or @ad<"20031031") and payload same (id identif$4 identification number) same (receiv$3 transmi$5) and (tracer trace tracing explorer explore exploring) near3 (frame packet message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/09 16:34
S59	56	(@rlad<"20031031" or @ad<"20031031") and payload same (id identif$4 identification number) with (port switch module) and (tracer trace tracing explorer explore exploring) near3 (frame packet message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/09 16:34

S60	36	@rlad<"20031031" or @ad<"20031031") and (traver$3 with (switch port node)) same (id identif$4 identification number) with (port switch module) and (tracer trace tracing explorer explore exploring) near3 (frame packet message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/08/09 16:34
S61	10	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and (@rlad<"20031031" or @ad<"20031031") and trace adj packet	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S62	15	(@rlad<"20031031" or @ad<"20031031") and trace adj packet and original near3 source	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S63	35	(@rlad<"20031031" or @ad<"20031031") and trace adj packet with source	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S64	3	(@rlad<"20031031" or @ad<"20031031") and trace adj packet with (rt roundtrip round adj trip)	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S65	19	"370".clas. and (@rlad<"20031031" or @ad<"20031031") and trace with (rt roundtrip round adj trip)	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S66	15	"370".clas. and (@rlad<"20031031" or @ad<"20031031") and trace with loopback	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S67	1	"6538997".pn.	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S68	102	(@rlad<"20031031" or @ad<"20031031") and ((multiple) with (switch$4 adj fabric)) same (fabric near3 (control$4 manager)) and trac$3	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S69	1	10/699603.app. and interconnect$3	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S70	4	("20050002410" "20050002334" "7266122" "6580720").pn.	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S71	79	(@rlad<"20031031" or @ad<"20031031") and switch near3 fan$4 same trac$3	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S72	1	"20060153180".pn.	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34
S73	58	"370".clas. and (@rlad<"20031031" or @ad<"20031031") and (fan$3 same switch nsc switch adj chip) and (trace tracer tracing explor$3) same switch	US-PGPUB; USPAT	OR	ON	2011/08/09 16:34

8/11/2011 4:20:54 PM
H:\ Documents and Settings\ Workspaces\ 10699603.wsp